













The new standard for electric compact utility vehicle

The Goupil G4 incorporates the features that made the G3 so successful (size, robustness and ergonomics...) offering the highest comfort and performance. All components of the vehicle have been entirely redesigned to a quality level exceeding the standards of the market. The steel frame chassis provides resistance to deformation and unrivalled modularity, the running gear ensures comfort and a perfect stability including at maximum load; steering and brakes have also been redesigned to instantly and smoothly respond to the driver's commands. Goupil G4 offers a unique driving experience for a utility vehicle of this category.



Equipment specific to each trade

Like the models that made Goupil so successful, G4 incorporates the modular chassis concept and offers unrivalled versatility. The G4 is adaptable to your business offering of customised equipment for garbage or organic waste collection, maintenance of parks and gardens, building maintenance, delivery...

With a payload above 1,200kg and an autonomy on real use up to 120km, G4 will meet the requirements of the most demanding applications.



Some examples of **CONFIGURATIONS**



A wheelbase, a wide range of fitting are available









Garbage Collection Skip

Hosing / High Pressure Cleaner Refrigerated Van

ZOOM ON

THE CABIN



Easy cleaning, vacuuming or storing

100% FLEXIBILITY

Mixed configurations comprised of the tilting deck or collection skip allow to quickly adapt and fit the vehicle with high pressure cleaner or leaf vacuum sweeper or even with a storage box.











PAYLOAD

Capacities exceeding the standards

With its payload up to 1,217kg*, the Goupil G4 far exceeds the standards of the market and offers a unique load capacity.

* Depending of 9kWh battery and equipment

STOP & GO

Electricideallyadaptedtothe "Stop&Go" applications. The G4 goes further, ergonomically designed for collection or delivery business: seat height, load threshold, cabin access and rear equipment.



COMPACT SIZF

G4 Goupil is a utility vehicle compact for professionals. Resolutely modern, with its large glass area (rear and footpath view) and a very compact size, the G4 is the evolving utility vehicle.

Quiet and safe drive in town centreoron closed sites (resorts, industrial sites....)



The G4 can house several battery capacities to best match your energy needs. There is a choice of 3 packs of industrial towing battery (8.6kWh, 11.5kWh, 15.4kWh) and 2 packs with Lithium Iron Phosphate technology (9kWh, 14kWh). G4 will get charged whichever the technology chosen. On a standard power point (16A, 220V) - Lithium will provide more flexibility and the possibility to recharge in part.



Equipment Coachbuilder

Goupil Industrie also is coachbuilder of their equipment. This ensures a perfect integration of the different vehicle configurations. All equipment is electric (no additional heat engine for their operation) and optimised in terms of consumption, weight and noise levels.

OTHER EQUIPMENT



tri flash AK 5

GOUPIL-G4

Payload Up to *120 km 1200 kg 50 km/h

1m20

* Real use

STRENGTHS

AUTONOMY

120km of autonomy based on real use with the battery pack of 14kWh Lithium.

FRGONOMY

Height Load Threshold 81cm. Easy access to the driver's cabin, ideal in "Stop & Go" applications.

Driver's Safety: 3-point seatbelt, pedestrian presence and safety sensor: speed limit on command and presence detector alarm.

ECONOMIC

Reduced service and energy consumption costs (€2 for a full charge).

COMFORTABLE

Cabin fitted with full standard equipment.

MODULARITY

G4 offers a wide range of equipment adapted to your needs and interchangeable in mixed configuration.

G4 benefits from the Goupil expertise on electric vehicles combined with the Polaris expertise on drive axles.

INNOVATIVE

G4 incorporates the G3 key advantages and bringing crucial innovations on the key elements of the vehicle (steering, braking system, modular chassis, cabin comfort...).

CERTIFICATION AND MANUFACTURING

Goupil G4 is N1 certified and can be elegible to green bonus where applicable.

The Goupil G4 was designed and is assembled in France.

SERVICES & OPTIONS

OPTIMISE YOUR COSTS AND ADAPT YOUR CONTRACTS **BASED ON YOUR REQUIREMENTS**

Goupil Industrie offers long-term rental or leasing contracts and maintenance contracts (Full service) up to 5 years.

TESTIMONY

With the Goupil G4 we wanted to start a speed up to 50 km/h, transport over one ton of load and offer an autonomy of G3 history and working closely with our key customers, we have redesigned

Throughoutthedevdevelopmentprocess deformationbenchestoensurethedeliverya

> Sylvain de Oliveira Chief Engineer Goupil Industrie



WHEELBASE



STANDARD EQUIPMENT

Safety

- Presence sensor and immobiliser on driver's seat
- Electric proportional braking
- 3-point seatbelt
- Circuit
- Central locking and sliding windows
- · Low or high speed switch
- · Handbrake with torque limiting sensor


Comfort & Visibility

- Adjustable comfortable seats
- Windscreen defrosting/demisting
- · Wipers and washer system
- Cabin rear window
- · LED running
- High-definition LCD colour display
- Rear fog light and reverse light
- · 4-pole charging socket

HOMOLOGATION				
Type of certification	N1 / L7e-CU			
PERFORMANCE				
Maximum speed	50 km/h			
Towing (off road)	3,500 kg			
Maximum slope (empty)	30 %			
Maximum slope with maximum load	15 %			
LOADS				
Empty weight (with doors, without battery)	582 kg			
Fully loaded weight	2,100 kg / 1,800 kg (Lithium) - 2,100 kg (Acid)			
Maximum towing capacity on road (unbraked trailer)	750 kg / 291 kg			
Maximum towing capacity on road (braked trailer)	1,400 kg / 291 kg			
MAIN DIMENSIONS				
Lenght	3,582 mm			
Cabin width	1,197 mm			
Height	1,893 mm			
Clearance angle	20°			
Turning radius	3,900 mm			
TRANSMISSION				
Туре	Rigid axle with differential			
Gear ratio	14.87:1			
ENGINE				
engine	AC induction / Asynchronous			
Maximum torque	57 Nm			
Nominal power	10 kW			
BRAKES				
Main braking system	X dual circuit braking system			
Front brake diameter	247 mm			
Rear drum diameter	230 mm			

CONTROLLER	
Manufacturer	Curtis
Nominal voltage	36-48V
SUSPENSIONS	
Front suspension / suspension travel	McPherson / 163 mm
Rear suspension / suspension travel	Spring and composite leafs / 96 mm
ROAD TYRES	
Туре	Tubeless Radial Steel
Size	155R13C 90N
Recommended tyre pressure	4.5 bar
TURF TYRES	
Туре	Tubeless Radial Steel
Size	23x8,50-12 10 PR
Recommended tyre pressure	2.3 bar

TOWING BATTERIES								
Technology	Lead-acid, 2V cell							
Capacity	8,6 kW/h	11,5 kWh		15,4 kWh				
Autonomy on real use (load - unload)	40 - 50 km	45 - 65 km		60 - 85 km				
Battery weight	325 kg	418 kg		492 kg				
LITHIUM BATTERIES								
Technology	Lihtium LiFePo4							
Capacity	9 kWh		14 kWh					
Autonomy on real use (load - unload)	50 - 85 km		80 - 120 km					
Battery weight	148 kg 192 kg		192 kg					





SIZE (mm)								
Α	3,582		-	175				
В	1,574		J	2,022				
С	1,305		K	1,021				
D	1,197		L	1,021				
Е	1,893		М	1,089				
F	423		N	468				
G	897		Р	697				
Н	288		Т	270				

